



**Highway Division**

PLANS OF PROPOSED IMPROVEMENT ON THE

**PRIMARY ROAD SYSTEM  
OBRIEN COUNTY  
BRIDGE REPLACEMENT**

**IA 10 bridge over Mud Creek 1.9 miles west of County Road L48**

SCALES: As Noted

Refer to the Proposal Form for list of applicable specifications.

Value Engineering Saves. Refer to Article 1105.14 of the Specifications.



REVISIONS

TOTAL

24

PROJECT IDENTIFICATION NUMBER

16-71-010-010

PROJECT NUMBER

BRFN-010-2(33)--39-71


R.O.W. PROJECT NUMBER

STPN-010-2(34)--2J-71

| No.             | DESCRIPTION  |
|-----------------|--|
| <b>A Sheets</b> | <b>Title Sheets</b>                                |
| * A.1           | Title Sheet  |
| * A.2           | Location Map Sheet                                 |
| <b>B Sheets</b> | <b>Typical Cross Sections and Details</b>          |
| B.1 - 3         | Typical Cross Sections and Details                 |
| <b>C Sheets</b> | <b>Quantities and General Information</b>          |
| C.1             | Project Description                                |
| C.1             | Estimated Project Quantities                       |
| C.1             | Estimate Reference Information                     |
| C.1             | Standard Road Plans                                |
| <b>D Sheets</b> | <b>Mainline Plan and Profile Sheets</b>            |
| * D.1           | Plan & Profile Legend & Symbol Information Sheet   |
| * D.2           | IA 10  |
| <b>G Sheets</b> | <b>Survey Sheets</b>                               |
| G.1 - 3         | Reference Ties and Bench Marks                     |
| G.4             | Horizontal Control Tab. & Super for all Alignments |
| <b>J Sheets</b> | <b>Traffic Control and Staging Sheets</b>          |
| J.1             | Staging Notes Stage                                |
| * J.2           | Detour Plan Map                                    |
| <b>V Sheets</b> | <b>Bridge and Culvert Situation Plans</b>          |
| * V.1 - 2       | Bridge and Culvert Situation Plans                 |
| <b>W Sheets</b> | <b>Mainline Cross Sections</b>                     |
| W.1             | Cross Sections Legend & Symbol Information Sheet   |
| W.2 - 8         | Mainline Cross Sections                            |
|                 | * Color Plan Sheets                                |

**H Sheets**

For Project Location Map  
Refer to Sheet No. A.02



**DESIGN DATA RURAL**

|                    |       |        |
|--------------------|-------|--------|
| 2021 AADT          | 2,200 | V.P.D. |
| 2041 AADT          | 2,700 | V.P.D. |
| 2041 DHV           | 270   | V.P.H. |
| TRUCKS             | 18    | %      |
| Total Design ESALs | --    |        |

**INDEX OF SEALS**

| SHEET NO. | NAME               | TYPE                    |
|-----------|--------------------|-------------------------|
| A.1       | Michael J. Janecek | Primary Signature Block |
| V.1       | Phillip M. Harpole | Hydraulic Design        |
|           |                    |                         |
|           |                    |                         |
|           |                    |                         |
|           |                    |                         |




**D4 PLAN – Date: June 21, 2022**

**PRELIMINARY PLANS**

Subject to change by final design.

**D5 PLAN – Date: Sept 4, 2020**

**PROJECT LOCATION**  
 IA 10 BRIDGE REPLACEMENT  
 STA.: 371+60  
 FHWA NO.: 38350  
 MAINT. NO.: 7143.6S010  
 MP: 43.6






**Paved Shoulder at Guardrail**

PCC Shoulder Jointing:  
 Longitudinal joint: BT-1 or BT-5  
 Transverse joints: C at mainline spacing  
 HMA Shoulder Jointing:  
 Longitudinal joint: B

| 2_P_Guard_<br>10-17-17 |           |             |
|------------------------|-----------|-------------|
| STATION TO STATION     |           | (P)<br>Feet |
| 369+81.27              | 370+08.31 | 11.26       |
| 370+08.31              | 370+49.40 | 11.26-9.58  |
| 370+49.40              | 370+98.49 | 9.58        |
| 372+21.49              | 372+81.10 | 9.58        |
| 372+81.10              | 373+05.64 | 9.58-11.96  |
| 373+05.64              | 373+38.50 | 11.96-13.37 |



| 2P_<br>10-19-10    |           |                 |
|--------------------|-----------|-----------------|
| STATION TO STATION |           |                 |
| 369+81.27          | 370+28.49 |                 |
| 370+28.49          | 370+98.49 | BRIDGE APPROACH |
|                    | BRIDGE    |                 |
| 372+21.49          | 372+91.49 | BRIDGE APPROACH |
| 372+91.49          | 373+38.50 |                 |

**Paved Shoulder at Guardrail**


PCC Shoulder Jointing:  
 Longitudinal joint: BT-1 or BT-5  
 Transverse joints: C at mainline spacing  
 HMA Shoulder Jointing:  
 Longitudinal joint: B

| 2_P_Guard_<br>10-17-17 |           |             |
|------------------------|-----------|-------------|
| STATION TO STATION     |           | (P)<br>Feet |
| 369+81.27              | 370+14.14 | 13.28-11.99 |
| 370+14.14              | 370+38.18 | 11.99-9.58  |
| 370+38.18              | 370+98.49 | 9.58        |
| 372+21.49              | 372+71.90 | 9.58        |
| 372+71.90              | 373+11.75 | 9.58-11.23  |
| 373+11.75              | 373+38.50 | 11.23       |

**Paved Shoulder at Guardrail**

PCC Shoulder Jointing:  
 Longitudinal joint: BT-1 or BT-5  
 Transverse joints: C at mainline spacing  
 HMA Shoulder Jointing:  
 Longitudinal joint: B

| 2_P_Guard_<br>10-17-17 |           |             |
|------------------------|-----------|-------------|
| STATION TO STATION     |           | (P)<br>Feet |
| 373+38.50              | 373+46.42 | 13.37-13.63 |
| 373+46.42              | 373+76.61 | 13.63       |
|                        |           |             |
|                        |           |             |




**Paved Shoulder at Guardrail**

PCC Shoulder Jointing:  
 Longitudinal joint: BT-1 or BT-5  
 Transverse joints: C at mainline spacing  
 HMA Shoulder Jointing:  
 Longitudinal joint: B

| 2_P_Guard_<br>10-17-17 |           |             |
|------------------------|-----------|-------------|
| STATION TO STATION     |           | (P)<br>Feet |
| 369+44.25              | 369+72.81 | 13.63       |
| 369+72.81              | 369+81.27 | 13.63-13.28 |
|                        |           |             |
|                        |           |             |

See Tab 100-24 or 100-25 for pavement quantities.  
 See Tab 112-9 for shoulder quantities.



PLAN VIEW


9" HMA Paved Shoulder at guardrail. 8" PCC may be substituted with the following jointing layout:

Match mainline pavement joint spacing. When mainline pavement is 8" or greater in thickness, place additional transverse 'C' joints in shoulder at mid-panel of the mainline pavement. Place longitudinal 'C' joint at P/2 from edge of mainline pavement when P is greater than 10' wide. Terminate longitudinal joint at transverse joint less than 10' in length.


Compaction of HMA is required to face of guardrail post. Hand compaction will be allowed under guardrail. Removal and reinstallation of guardrail will be allowed with no additional payment.

Refer to Tabulation 112-9 for shoulder quantities.

- ① PCC option only: When guardrail posts are installed prior to construction of PCC paved shoulder, fasten form board to the face of guardrail posts for the length shown.
- ② Continue paved shoulder 20 feet beyond the center of the first post.
- ③ Shoulder may be notched for first 2 posts or post sleeves may be installed through pavement. Do not drive posts through pavement.
- ④ 'KT-1 joint for PCC shoulder. 'B' joint for HMA shoulder.
- ⑤ Refer to other details in the plan.




Section A-A




Section B-B

NEW CONSTRUCTION




Section A-A



Section B-B

EXISTING SHOULDER



PAVED SHOULDER AT GUARDRAIL  
(GRANULAR SHOULDER ADJACENT TO MAINLINE)



### SURVEY SYMBOLS

- CP Control Point
- EP Edge of Paved Roads (ML or SR)
- GR Ground Shot
- EG Edge of Gravel Road
- GDL Guard Rail Steel
- SIGN
- BL Topo Breakline
- BD Bridge Deck
- RET Retaining Walls
- ▲ BM Bench Mark
- BRG Bridge
- BBB Bottom of Bridge Beam
- OUT Tile Outlet
- x FW Wire Fence
- TL1C Telephone Line Co. 1 - Quality C
- TW Top of Water
- D Centerline Draw or Stream (Down)
- TPD Telephone Pedestal
- PPA Power Pole Co. 1

### UTILITY LEGEND

Sub-Surface Utility Mapping Quality Level is in accordance with CI/ASCE 38-02 Standard Guidelines for the Collection and Depiction of Existing Subsurface Utility Data.

Remark Abbreviations  
 QLA Quality Level A Highest guideline quality level  
 QLD Quality Level D Lowest guideline quality level

- FOC( ) — Windstream Communication - Quality C  
800-289-1901  
Locatedesk@windstream.com
- F0 — Windstream Communication - Quality D
- TPD Telephone Pedestal
- PPA Power Pole

### PLAN VIEW COLOR LEGEND OF PLAN AND PROFILE SHEETS

| LINEWORK         | Design Color No. |  |
|------------------|------------------|--|
| Green            | (2)              | Existing Topographic Features and Labels                               |
| Blue             | (1)              | Proposed Alignment, Stationing, Tic Marks, and Alignment Annotation    |
| Magenta          | (5)              | Existing Utilities   |
| SHADING          |                  |  |
| Design Color No. |                  |  |
| Yellow           | (4)              | Highlight for Critical Notes or Features                               |
| Red              | (3)              | Delineates Restricted Areas  |
| Lavender         | (9)              | Temporary Pavement Shading   |
| Gray, Light      | (48)             | Proposed Pavement Shading  |
| Gray, Med        | (80)             | Proposed Granular Shading  |
| Gray, Dark       | (112)            | Proposed Grade and Pave Shading "In conjunction with a paving project" |
| Brown, Light     | (236)            | Grading Shading  |
| Tan              | (8)              | Proposed Sidewalk Shading  |
| Blue, Light      | (230)            | Proposed Sidewalk Landing Shading                                      |
| Pink             | (11)             | Proposed Sidewalk Ramp Shading   |

### PROFILE VIEW COLOR LEGEND OF PLAN AND PROFILE SHEETS

| LINEWORK    | Design Color No. |                                 |
|-------------|------------------|---------------------------------|
| Green       | (2)              | Existing Ground Line Profile    |
| Blue        | (1)              | Proposed Profile and Annotation |
| Magenta     | (5)              | Existing Utilities              |
| Blue, Light | (230)            | Proposed Ditch Grades, Left     |
| Black       | (0)              | Proposed Ditch Grades, Median   |
| Rust        | (14)             | Proposed Ditch Grades, Right    |



- Reference Point
- Station
- Survey Line
- Section Corner
- Ground Line Intercept
- Saw Cut
- Guardrail
- Trench Drain
- HighTension Cable Guardrail
- Sheet Pile
- Pavement Removal
- Clearing & Grubbing Area

### RIGHT-OF-WAY LEGEND

- Proposed Right-of-Way
- Existing Right of Way
- Existing and Proposed Right-of-Way
- Easement and Existing Right-of-Way
- Easement (Temporary)
- Easement
- Access Control
- Property Line

## PLAN AND PROFILE LEGEND AND SYMBOL INFORMATION SHEET

(COVERS SHEET SERIES D, E, F, & K)



|          |       |         |             |                          |                |                |                       |              |     |
|----------|-------|---------|-------------|--------------------------|----------------|----------------|-----------------------|--------------|-----|
| FILE NO. | 31432 | ENGLISH | DESIGN TEAM | IOWA DOT / SHIVE-HATTERY | O'BRIEN COUNTY | PROJECT NUMBER | BRFN-010-2(33)--39-71 | SHEET NUMBER | D.2 |
|----------|-------|---------|-------------|--------------------------|----------------|----------------|-----------------------|--------------|-----|



## Survey Information

O'Brien County  
BRFN-010-2(33)-39-71  
IA 10 Bridge over Mud Creek  
1.9 mi W of Co Rd L48  
PIN 16-71-010-010  
Sap-0889.0

### General Information

Measurement units for this survey are US survey feet. This survey is for proposed Bridge reconstruction and reconstruction of IA 10 over Mud Creek. Project datum and control information is provided by Shive-Hattery inc. This project is a Full DTM Preliminary Survey and no Photogrammetry was used. This survey request was for the IA 10 corridor, Bridge and Mud Creek.

### Vertical Control

IARTN

Vertical datum for this survey is NAVD88 (Computed using Geoid12A). GRS80 Ellipsoidal Height was computed at project Pt. 2, by averaging a minimum of five observations with appropriate time spans between from nearby Iowa RTN reference stations. The vertical standard deviation of these observations were less than 0.050 ft. at 95% confidence level (2 sigma). Additional benchmarks were established with a level loop relative with Pt. 2. The loop error met 3rd Order accuracy and the error was distributed proportionately among the project bench marks.

### Horizontal Control

#### (Project Coordinates from Redundant IARTN Observations)

The project coordinate system is modified Iowa Regional Coordinate System Zone 1 (U.S. Survey Feet) scaled around Pt. 2 at 9521015.751 N, 11374207.682 E, 1365.076 EL. Horizontal datum is NAD83 (2011) for Epoch 2010.00. Coordinates were determined by averaging a minimum of five IARTN observations with appropriate time spans between. The horizontal standard deviation of these observations was less than 0.032 ft. at 95% confidence level (2 sigma). Additional control points were placed throughout the project using a GNSS Base-Rover setup relative to Pt. 2. A minimum of three observations with appropriate time spans between were averaged. The horizontal standard deviation of these observations was less than 0.032 ft. at 95% confidence level (2 sigma).

1/Combined Scale Factor of project= 1.0000520000

The 1/Combined Scale Factor, scaled about Pt. 2, may be used for GNSS stakeout and location to survey in the Project Coordinate system. A scale factor of 1 should be used with total station stakeout.

### Alignment Information

The horizontal alignment for this survey is a retrace of As-built Plans No. F 986 (1). Survey stationing was equated to the plan centerline of bridge at STA 383+78.00 and run back and ahead without equation throughout the survey.

Survey stationing relates to as built plan stationing as follows:

PC Sta. 357+73.70 As-built Project No. F 986 (1).  
Survey PC Sta. 357+73.70



PI Sta. 366+15.70 As-built Project No. F 986 (1).  
Survey PI Sta. 366+15.74

PT Sta. 374+55.70 As-built Project No. F 986 (1)  
Survey PT Sta. 374+55.67

| As-built Project No. F 986 (1)  | Survey                            |
|---------------------------------|-----------------------------------|
| $\Delta = 7^{\circ}00'30''$ Lt. | $\Delta = 7^{\circ}00'27.7''$ Lt. |
| D = 0°25'                       | D = 0°24'59.9"                    |
| T = 842.0'                      | T = 842.035'                      |
| L = 1682.0'                     | L = 1680.922'                     |
| E = 25.8'                       | E = 25.755'                       |
| R = 13,752.0'                   | R = 13,752.0'                     |

### CONTROL POINT VICINITY MAP

This map is a guide to the vicinity of the primary project control points  
 Primary control is for use with RTK base stations and for RTN validation.  
 Future surveys will use primary project control to establish temporary control as needed for construction or other surveying applications.



HORIZ. DATUM: NAD83(2011) EPOCH 2010.00

VERT. DATUM: NAVD88

1a. Regional Coordinate System Zone 1

Coordinate listing from next sheet will be used with 1aRTN for monument recovery. No other reference ties are given.

HORIZONTAL AND VERTICAL PROJECT CONTROL COORDINATE LISTING

HORIZ. DATUM: NAD83(2011) EPOCH 2010.00

VERT. DATUM: NAVD88

Ia. Regional Coordinate System Zone 1

| Point | Northing    | Easting      | Elevation | Feature Definition | Description |
|-------|-------------|--------------|-----------|--------------------|-------------|
| 1     | 9521095.946 | 11373967.171 | 1353.583  | CP1                | NAIL        |
| 2     | 9521015.751 | 11374207.682 | 1365.076  | CP2                | PK NAIL     |
| 3     | 9520970.267 | 11373781.168 | 1367.990  | CP3                | PK NAIL     |
| 2237  | 9520978.794 | 11374059.870 | 1368.306  | BM                 | BM-PLUG     |


### ALIGNMENT COORDINATES

101-16  
10-20-09

| Name   | Location | Point on Tangent |              |               | Begin Spiral |              |             | Begin Curve |              |             | Simple Curve PI or Master PI of SCS |              |             | End Curve |              |             | End Spiral |              |             |
|--------|----------|------------------|--------------|---------------|--------------|--------------|-------------|-------------|--------------|-------------|-------------------------------------|--------------|-------------|-----------|--------------|-------------|------------|--------------|-------------|
|        |          | Station          | Coordinates  |               | Station      | Coordinates  |             | Station     | Coordinates  |             | Station                             | Coordinates  |             | Station   | Coordinates  |             | Station    | Coordinates  |             |
|        |          |                  | Y (Northing) | X (Easting)   |              | Y (Northing) | X (Easting) |             | Y (Northing) | X (Easting) |                                     | Y (Northing) | X (Easting) |           | Y (Northing) | X (Easting) |            | Y (Northing) | X (Easting) |
| ML0101 |          | 367+45.22        | 9,520,986.73 | 11,373,568.45 |              |              |             |             |              |             |                                     |              |             |           |              |             |            |              |             |
| ML0103 |          | 369+01.81        | 9,520,986.60 | 11,373,725.04 |              |              |             |             |              |             |                                     |              |             |           |              |             |            |              |             |
| ML0105 |          | 370+07.78        | 9,520,987.86 | 11,373,831.00 |              |              |             |             |              |             |                                     |              |             |           |              |             |            |              |             |
| ML0107 |          | 373+16.11        | 9,520,995.54 | 11,374,139.24 |              |              |             |             |              |             |                                     |              |             |           |              |             |            |              |             |
| ML0108 |          | 376+18.34        | 9,521,009.08 | 11,374,441.16 |              |              |             |             |              |             |                                     |              |             |           |              |             |            |              |             |
|        |          |                  |              |               |              |              |             |             |              |             |                                     |              |             |           |              |             |            |              |             |
|        |          |                  |              |               |              |              |             |             |              |             |                                     |              |             |           |              |             |            |              |             |

Union TWP.  
T-94N R-41W  
SEC. 5


SIGN



①  
MARVIN FINTEL TRUST

Union TWP.  
T-94N R-41W  
SEC. 8

|   |                       |
|---|-----------------------|
| <b>Right of Way Design Information</b>          |                       |
| <b>THIS SHEET INCLUDED FOR INFORMATION ONLY</b> |                       |
| ROW Team: CAGLE / LARSON                        |                       |
| ROW #: STPN-010-2(34)--2J-71                    |                       |
| Plan Date: 9/28/2020                            |                       |
| Color Legend:                                   |                       |
|   | Property Lines        |
|   | Temporary Easement    |
|   | Permanent Acquisition |



108-23A  
08-01-08

**TRAFFIC CONTROL PLAN**

- 1) While bridge and approaches are being removed and replaced, traffic shall be maintained via an off-site detour.
- 2) Detour signage shall be installed, maintained, and removed by Iowa DOT District 3. Road closure signage and devices shall be furnished, installed, maintained, and removed by Contractor. See sheet J.2 for proposed detour. Detour pavement markings shall be painted by the contractor.

108-25  
10-21-14

**511 TRAVEL RESTRICTIONS**


| Route | Direction | County  | Location Description        | Feature Crossed | Object Type | Maint. Bridge No., Structure ID, or FHWA No. | Type of Restriction | Existing Measurement | Construction Measurement | Construction Measurement as Signed | Projected As Built Measurement | Remarks |
|-------|-----------|---------|-----------------------------|-----------------|-------------|--|---------------------|----------------------|--------------------------|------------------------------------|--------------------------------|---------|
| IA 10 | Both      | O'Brien | No Restrictions Anticipated | None - - Detour |             |  |                     |                      |                          |                                    |                                |         |
|       |           |         |                             |                 |             |  |                     |                      |                          |                                    |                                |         |
|       |           |         |                             |                 |             |  |                     |                      |                          |                                    |                                |         |

111-01  
04-17-12


**COORDINATED OPERATIONS**

Other work in progress during the same period of time will include the construction of the projects listed. Coordinate operations with those of other contractors working within the same area.

| Project       | Type of Work |
|---------------|--------------|
| None Provided |              |
|               |              |
|               |              |



|      |   |   |                |      |
|------|---|---|----------------|------|
| 1365 | W. ABUT. BRG. ELEV. 1366.41                             | E. ABUT. BRG. ELEV. 1365.63   | PROPOSED GRADE | 1365 |
| 1355 |   |   | EXISTING GRADE | 1355 |
| 1345 | TOP OF BERM ELEV. = 1358.99<br>BOTT. FTG. ELEV. 1356.99 | TOP OF BERM ELEV. = 1358.21<br>BOTT. FTG. ELEV. 1356.21   |                | 1345 |
| 1335 | EROSION STONE 9"<br>BENCH ELEV. 1353.00                 | EROSION STONE 9"<br>BENCH ELEV. 1353.00   |                | 1335 |
| 1325 | DESIGN H.W. ELEV. 1357.30                               | OPERATIONAL LOW BEAM<br>PRELIMINARY SCOUR ELEV. = 1343.9  |                | 1325 |
| 1315 | TOP OF BRIDGE DECK CROWN 0.03'<br>BELOW PROFILE GRADE   | STREAMBED ELEV. = 1346.34<br>REGULATORY LOW BEAM<br>VERIFY ELEVATIONS WHEN SOIL BORINGS ARE COMPLETE. |                | 1315 |



LONGITUDINAL SECTION ALONG CL APPROACH ROADWAY

PROPOSED PROFILE GRADE IA 10

HYDRAULIC DATA

DRAINAGE AREA = 17.1 SQ. MI.  
 STREAM SLOPE = 7.33 FT./MI.  
 AVG. LOW WATER STAGE = 1348.00  
 Q<sub>50</sub> = 4090 CFS  
 STAGE = 1357.30  
 REGULATORY LOW BEAM = 1360.35  
 BACKWATER = 0.6 FT.  
 AVG. BRIDGE VELOCITY = 8.0 FPS  
 Q<sub>100</sub> = 4850 CFS  
 STAGE = 1357.70 FT.  
 OPERATIONAL LOW BEAM = 1359.96  
 BACKWATER = 0.8 FT.  
 AVG. BRIDGE VELOCITY = 9.0 FPS  
 Q<sub>200</sub> = 6060 CFS  
 STAGE = 1358.20  
 CALCULATED DESIGN SCOUR = 1343.90  
 Q<sub>500</sub> = 6442.00 CFS  
 STAGE = 1358.50  
 CALCULATED CHECK SCOUR =  
 ROADWAY OVERTOP = 1365.38  
 STA. 373+03.00 1342.80

UTILITIES LEGEND:

- T(C) — TELEPHONE
- FO — FIBER OPTIC

UTILITIES SHOWN ON THIS SHEET ARE FOR INFORMATION ONLY, SEE ROAD DESIGN SHEETS FOR FINAL UTILITY INFORMATION.

LOCATION

TRAFFIC ESTIMATE

|                              |              |      |        |
|------------------------------|--------------|------|--------|
| IA 10 BRIDGE OVER MUD CREEK  | 2021 AADT    | 2200 | V.P.D. |
| T-94N R-41W                  | 2041 AADT    | 2700 | V.P.D. |
| SECTION 8                    | 2041 DHV     | 270  | V.P.H. |
| UNION TOWNSHIP               |              |      |        |
| O'BRIEN COUNTY               |              |      |        |
| FHWA NO. 38351               | TRUCKS       | 18   | %      |
| BRIDGE MAINT. NO. 7143.65010 | TOTAL        |      |        |
| LATITUDE 42.982271°          | DESIGN ESALS |      |        |
| LONGITUDE -95.720891°        |              |      |        |

PRELIMINARY




DESIGN FOR 0° SKEW  
**120'-0" X 40'-0" PRETENSIONED  
 PRESTRESSED CONCRETE BEAM BRIDGE**  
 120'-0" SINGLE SPAN  
**SITUATION PLAN**  
 STATION 371+60.00 (IA 10) JUNE 2020  
**O'BRIEN COUNTY**  
 IOWA DEPARTMENT OF TRANSPORTATION - HIGHWAY DIVISION  
 DESIGN SHEET NO. 1 OF 2 FILE NO. 31432 DESIGN NO. 120

**HYDRAULIC DESIGN**

I hereby certify that this engineering document was prepared by me or under my direct personal supervision and that I am a duly licensed Professional Engineer under the laws of the State of Iowa.

Signature: Philip M. Harpole Date: 06-23-2020  
 Printed or Typed Name: Philip M. Harpole  
 My license renewal date is December 31, 2021

Pages or sheets covered by this seal: V.1, V.2




PROPOSED BRIDGE  
 120'-0" X 40'-0" PPCB  
 STA. 371+60.00 SKEW 0°

EXISTING BRIDGE 120'-0" X  
 26'-0" CONTINUOUS STEEL  
 BEAM DESIGN NO 1450, FHWA  
 No.: 38350 TO BE REMOVED,  
 STA. 371+70.00

CLASS E REVETMENT. (2'  
 THICKNESS MIN.) UNDERLAIN  
 WITH ENGINEERING FABRIC

- NOTES:
1. TL-4 BRIDGE RAILING PROPOSED.
  2. TOP OF BRIDGE DECK CROWN 0.03' BELOW PROFILE GRADE.
  3. CLASS E REVETMENT STONE IS EMBEDDED.
  4. BEAM TYPE - BTD.





| ESTIMATED BERM ARMORING QUANTITIES |                       |                     |                         |                 |
|------------------------------------|-----------------------|---------------------|-------------------------|-----------------|
| LOCATION                           | REVETMENT CL. E (TON) | EROSION STONE (TON) | ENGINEERING FABRIC (SY) | EXCAVATION (CY) |
| BERM LINING - WEST ABUTMENT        | 758.3                 | 11.1                | 739.4                   | 614.5           |
| BERM LINING - EAST ABUTMENT        | 729.9                 | 11.1                | 712.6                   | 267.2           |
| TOTALS                             | 1,488.2               | 22.2                | 1,452.0                 | 881.7           |



EXCAVATION QUANTITY CALCULATED FROM GRADING SURFACE.

SECTION THRU EMBEDDED REVETMENT BERM

SECTION THRU EMBEDDED REVETMENT NORMAL TO BRIDGE WING AT W POINT

| POINTS | WEST ABUTMENT |          |          | EAST ABUTMENT |          |          |
|--------|---------------|----------|----------|---------------|----------|----------|
|        | STATION       | OFFSET   | ELEV.    | STATION       | OFFSET   | ELEV.    |
| A1     | 371+19.58     | 24.58 LT | 1,353.00 | 372+01.36     | 24.58 LT | 1,353.00 |
| A2     | 371+19.58     | 24.58 RT | 1,353.00 | 372+01.36     | 24.58 RT | 1,353.00 |
| B1     | 371+04.50     | 24.58 LT | 1,358.99 | 372+15.50     | 24.58 LT | 1,358.21 |
| B2     | 371+04.50     | 24.58 RT | 1,358.99 | 372+15.50     | 24.58 RT | 1,358.21 |
| C1     | 371+59.52     | 68.96 LT | 1,353.00 | 371+89.93     | 68.96 LT | 1,353.00 |
| C2     | 371+39.06     | 57.33 RT | 1,353.00 | 371+67.76     | 58.51 RT | 1,353.00 |
| G1     | 370+91.51     | 42.13 LT | 1,358.99 | 372+28.51     | 42.07 LT | 1,358.21 |
| G2     | 370+91.51     | 42.13 RT | 1,358.99 | 372+28.51     | 42.07 RT | 1,358.21 |
| W1     | 370+86.50     | 24.58 LT | 1,365.52 | 372+33.50     | 24.58 LT | 1,364.55 |
| W2     | 370+86.50     | 24.58 RT | 1,365.52 | 372+33.50     | 24.58 RT | 1,364.55 |

BERM SLOPE ELEVATIONS REFLECT THE GRADING SURFACE



SITE PLAN

PRELIMINARY  
 DESIGN FOR 0° SKEW  
**120'-0" X 40'-0" PRETENSIONED  
 PRESTRESSED CONCRETE BEAM BRIDGE**  
 120'-0" SINGLE SPAN  
**SITE PLAN**  
 STATION 371+60.00 (1A 10) JUNE 2020  
**O'BRIEN COUNTY**  
 IOWA DEPARTMENT OF TRANSPORTATION - HIGHWAY DIVISION  
 DESIGN SHEET NO. 2 OF 2 FILE NO. 31432 DESIGN NO. 120

**LINE STYLE LEGEND OF CROSS SECTION SHEETS (ROAD)**

- - - - - - Existing Ground Line
- Proposed Template
- Proposed Topsoil Placement
- - - - - Additional Topsoil Removal
- Subgrade Treatment
- - - - - Granular Shoulder
- Pavement
- - - - - Existing Pipe\RCB
- Proposed Pipe\RCB
- Proposed Dike
- All Elements Associated with Proposed Entrances

**LINE STYLE LEGEND OF CROSS SECTION SHEETS (SOILS)**

- TS——— Topsoil (Class 10)
- SLOPE DRESSING — Slope Dressing Only
- CL 10——— Class 10 Materials
- SEL L0——— Select Loams And Clay-Loams
- SEL SA——— Select Sand
- UNS A——— Unsuitable Type A Disposal
- UNS B——— Unsuitable Type B Disposal
- UNS C——— Unsuitable Type C Disposal
- SHALE——— Shale
- WASTE——— Waste
- B&W LS——— Broken and Weathered Rock
- ROCK——— Solid Rock
- Boulders

Note: All layer lines and descriptions identify layers above the line.


Note: Vertical or near vertical lines connecting soil layers at edges of cross sections are only for the purpose of calculating template quantities and do not depict soil stratification.

**SYMBOL LEGEND OF CROSS SECTION SHEETS**


- Existing ROW  
|  
Existing Right-of-Way Limit
- Proposed ROW  
|  
Proposed Right-of-Way Limit
- Temporary ROW  
|  
Temporary Right-of-Way Limit

**CROSS SECTION  
LEGEND AND SYMBOL  
INFORMATION SHEET  
(COVERS SHEET SERIES W, X, Y, & Z)**


# IA 10 Preliminary




# IA 10 Preliminary




# IA 10 Preliminary




# IA 10 Preliminary



# IA 10 Preliminary



# IA 10 Preliminary





# IA 10 Preliminary

