

Utility Report

Utility Information

Sub-Surface Utility Mapping Quality Level is in accordance with CI/ASCE 38-02 *Standard Guidelines for the Collection and Depiction of Existing Subsurface Utility Data*.

Remark abbreviations

QLA – Quality Level A Highest guideline quality level
QLD – Quality Level D Lowest guideline quality level

One-call Design Information request:

Ticket # 552406494 submitted 10/22/2024 at 3:26 pm.

One-call Design Information converted to Locate request:

Ticket's # 552406843, # 552406844, # 552406845 submitted 11/04/2024 at 9:38 am

Iowa One-Call Does not allow joint meets for survey related requests.

The following Companies were listed:

Company (Quality)	Symbol	Remark
Iowa Regional Utility Assoc	WL2	QLD
Alliant Energy	PPA	QLD
Alliant Energy	EL1	QLD
Alliant Energy	GL1	QLD
Partner Communications	FO1	QLD
State Center, City of	WL1	QLD
Mediacom		Clear
West Marshall Community School		Clear
Iowa Dot	EL2	QLD
State Center, City of	SAN1	QLD

Companies responses to One-Call requests:

10/22/2024 Received email from Iowa One Call. Design information results for ticket 552406494.

10/22/2024 Received email from Kimberlin Annis kannis@irua.net, from Iowa Regional Utility Assoc. Attached was a map of their facilities for ticket 552406494.

10/25/2024 Received email from Cink, Randy RandyCink@alliantenergy.com from Alliant Energy. Attached were maps of their facilities for ticket 55240494.

11/11/2024 Received email from Iowa One Call Locate results for tickets # 552406843, # 552406844, # 552406845.

As of 11/11/2024 1:20 PMCDT, participating facility owners have responded to Tickets # 552406843, # 552406844, and # 552406845 as follows:

District Code	Status
Iowa Regional Utility Association	Marked
Alliant Energy	Marked
City of State Center	Marked
Partner Communications	Marked
Mediacom	Clear
Iowa Dot	Marked
West Marshall Community School	Clear

Additional Notes:

No additional notes.